FREEZE TIME REVERSE AGING









The easiest-to-use system with advanced safety features for non-invasive wrinkle reduction via skin tightening. Treatments are pain-free with no downtime and for all skin types. It showcases two new features for enhanced patient safety, improved ease of use for the operator, and more consistent and predictable results.

NON-INVASIVE ANTI-AGING TREATMENTS

Tighten lax skin and reduce wrinkles and rhytides through neocollagenesis and fibroblast stimulation.

ADVANCED SAFETY FEATURES

Integrated Automatic Temperature Control (ATC) delivers optimal patient safety and comfort throughout the treatment.

EASIEST TO USE

Preset treatment parameters, ergonomic handpieces, and Real-Time Thermal Feedback deliver unparalleled ease of use for the operator.

NO PAIN, NO DOWNTIME AND SAFE FOR ALL SKIN TYPES

Radio Frequency (RF) technology is proven to be safe for all skin types. Together with being painless and having no downtime, you will see higher patient compliance with Venus Freeze Plus™ treatments.

HIGHER RETURN ON INVESTMENT

Venus Concept's unique business model ensures lower-risk and higher-return ownership.

APPLICATORS & (MP)² TECHNOLOGY

DIAMONDPOLAR™ AND OCTIPOLAR™

Venus Freeze Plus™ features two applicators: DiamondPolar™ for smaller treatment areas and OctiPolar™ for larger areas.

Both of these lightweight, ergonomically designed applicators are powered by our proprietary (MP)² technology, combining Multi-Polar Radio Frequency and Pulsed Electro Magnetic Fields.



MULTI-POLAR RADIO FREQUENCY

Multi-Polar Radio Frequency (RF) uses a complex algorithm to deliver more homogeneous heating to multiple tissue depths, allowing for faster buildup of heat and easier maintenance of the therapeutic temperature. This results in greater efficacy and enhanced patient safety. With no heat spikes, there is also no need for topical cooling agents and patients report an enjoyable, pain-free treatment experience.

PULSED ELECTRO MAGNETIC FIELDS

The effect of Multi-Polar RF is enhanced by Pulsed Electro Magnetic Fields (PEMF), a non-thermal technology emitted through the applicator's electrodes. PEMF has been proven effective in triggering regenerative processes in the skin and has been used in conventional medicine for decades.

THE SYNERGISTIC EFFECT OF MULTI-POLAR RF AND PEMF

(MP)² synergistically increases collagen production through two independent mechanisms, Multi-Polar RF (thermal) and PEMF (non-thermal). The RF directly stimulates fibroblasts, while PEMF induces fibroblast proliferation through the release of the growth factor FGF-2. Together, they work to increase collagen synthesis. (MP)² is proven and effective in remodeling of collagen for skin tightening and the creation of new capillaries, which renews blood supply.



WHY VENUS FREEZE Plus IS THE BEST OPTION FOR YOU

Venus Freeze Plus™ is the easiest to use, which makes it highly delegable. It includes two integrated safety features for enhanced patient comfort, improved ease of use for the operator, and more consistent and predictable outcomes.



REAL-TIME THERMAL FEEDBACK

Venus Freeze Plus™ applicators are equipped with integrated sensors that provide real-time thermal feedback, allowing for easy and immediate monitoring of skin temperature profile. The system's display shows the temperature profile throughout the treatment, so the operator can ensure optimal safety and effectiveness.


AUTOMATIC TEMPERATURE CONTROL

Venus Freeze Plus™ features Automatic Temperature
Control (ATC), which allows the operator to easily select
a target temperature suitable for the specific patient and
treatment area. This unique feature makes it easier to
maintain a steady therapeutic temperature throughout the
treatment, enhancing the consistency and predictability of
results. ATC also contributes to the safety of the treatment.



EXPERIENCE

THE RESULTS





Courtesy of Dima Ali, MD
Results after 7 treatments





Courtesy of Eric Adler, MD
Results after 10 treatments





Courtesy of Scott Callahan, MD Results after 6 treatments









Courtesy of Anti-Aging Ltd.
Results after 6 treatments





Courtesy of Lowcountry Plastic Surgery
Results after 3 treatments

DEVICE SPECIFICATIONS

TECHNICAL SPECIFICATIONS	
Input Voltage	100-240 V, 50-60 Hz, Max. 5A
Output RF Frequency	1 MHz
Max. RF Output Power	Up to 150 watts
(MP) ² Applicators	DiamondPolar™ Applicator
	OctiPolar [™] Applicator
Number of (MP) ² Synthesizers	Up to 8
Magnetic Pulse Frequency	15 Hz
Magnetic Field	15 Gauss
Dimensions	65 cm x 55 cm x 110 cm / 25.6 in x 21.7 in x 43.3 in (D x W x H)
Weight	25 kg / 55 lb













USA Office: 4556 N Hiatus Road | Sunrise, Florida, 33351 Corporate Office: 255 Consumers Road, Suite 110 | Toronto, Ontario, M2J 1R4

Tel: 888-907-0115 Visit us at venusconcept.com







